<b>HEALTH APPRAISAL OU</b>	UESTIONNAIRE
----------------------------	--------------

Date

IILALIII AI I KAISAL	50521101111111

## DIRECTIONS

Name

This questionnaire asks you to assess how you have been feeling **during the last four months**. This information will help you keep track of how your physical, mental and emotional states respond to changes you make in your eating habits, priorities, supplement program, social and family life, level of physical activity and time spent on personal growth. All information is held in strict confidence. Take all the time you need to complete this questionnaire.

## For each question, circle the number that best describes your symptoms:

- O = No or Rarely—You have never experienced the symptom or the symptom is familiar to you but you perceive it as insignificant (monthly or less)
- 1 = Occasionally—Symptom comes and goes and is linked in your mind to stress, diet, fatigue or some identifiable trigger
- 4 = Often—Symptom occurs 2-3 times per week and/or with a frequency that bothers you enough that you would like to do something about it
- 8 = Frequently—Symptom occurs 4 or more times per week and/or you are aware of the symptom every day, or it occurs with regularity on a monthly or cyclical basis

Some questions require a YES or NO response: 0 = NO 8 = YES

PA	RTI	No/Rarely	Occasionally	Often	Frequently		No/Rarely	Occasionally	Often	Frequently
SEC	TION A					SECTION C (cont.)				
1	. Indigestion, food repeats on you after you eat	0	1	4	8	6. Stool odor is embarrassing	0	1	4	8
2	Excessive burping, belching and/or bloating following meals	0	1	4	8	7. Undigested food in your stool 8. Three or more large bowel movements daily	0	1	4	8
3	. Stomach spasms and cramping during or after eating	0	1	4	8	9. Diarrhea (frequent loose, watery stool)	0	1	4	8
4	. A sensation that food just sits in your stomach creating uncomfortable fullness, pressure and bloating during or after a meal	0	1	4	8	10. Bowel movement shortly after eating (within 1 hour)  Tota	0 <b>i po</b>	nts	4	8
5	. Bad taste in your mouth	0	1	4	8	SECTION D				
6	. Small amounts of food fill you up immediately	0	1	4	8	1. Discomfort, pain or cramps in your colon				
7	. Skip meals or eat erratically because you	0	ï	4	8	(lower abdominal area)	0	1	4	8
	have no appetite  Total	1,000				Emotional stress and/or eating raw fruits and vegetables causes abdominal bloating, pain, cramps or gas	0	1	4	8
SEC	CTION B					3. Generally constipated (or straining during		727	20	1921
1	. Strong emotions, or the thought or smell of food aggravates your stomach or makes it hurt	0	i	4	8	bowel movements) 4. Stool is small, hard and dry	0	1	4	8
2	Feel hungry an hour or two after eating a good-sized meal	0	1	4	8	5. Pass mucus in your stool	0	1	4	8
3	Stomach pain, burning and/or aching over a	1221			_	6. Alternate between constipation and diarrhea	0	1	4	35
	period of 1-4 hours after eating	0	1	4	8	Rectal pain, itching or cramping     No urge to have a bowel movement		(O)No		3)Yes
4	Stomach pain, burning and/or aching relieved by eating food; drinking carbonated beverages, cream or milk; or taking antacids	0	1	4	8	9. An almost continual need to have a bowel movement	(0)	Na	(8	3)Yes
5	Burning sensation in the lower part of your chest, especially when lying down or bending forward	0	1	4	8	PART II	l po	ints	L	
6	. Digestive problems that subside with rest and relaxation	(0)	No	(8	Yes	TAKE				
7	Eating spicy and fatty (fried) foods, chocolate, coffee, alcohol, citrus or hot peppers causes your stomach to burn or ache	0	1	4	8	When massaging under your rib cage on your right side, there is pain, tenderness or soreness	0	ī	4	8
8	. Feel a sense of nausea when you eat	0	1	4	8	2. Abdominal pain worsens with deep breathing	0	1	4	8
	. Difficulty or pain when swallowing food or beverage		1	4	8	Pain at night that may move to your back or right shoulder	0	ī	4	8
	Total	poi	nts	L		Bitter fluid repeats after eating	0	1	4	8
SE	CTION C					5. Feel abdominal discomfort or nausea when eating		9	. 0	
1	. When massaging under your rib cage on your left side, there is pain, tenderness or soreness	0	î	4	8	rich, fatty or fried foods  6. Throbbing temples and/or dull pain in forehead	0	1	4	8
2	. Indigestion, fullness or tension in your abdomen is delayed, occurring 2-4 hours after eating a meal	0	1	4	8	associated with overeating 7. Unexplained itchy skin that's worse at night	0	1	4	8
3	. Lower abdominal discomfort is relieved with the passage of gas or with a bowel movement	0	1	4	8	8. Stool color alternates from clay colored to	0	ĭ		8
	. Specific foods/beverages aggravate indigestion	0	1	4	8	normal brown	0	1	4	_
5	. The consistency or form of your stool changes (e.g., from narrow to loose) within the course of a day	0	Ī	4	8	9. General feeling of poor health	U	£	4	8

PART II	No/Rarely	Occasionally	Office	Frequently		PART IV	5	No/Karely	Occasionally	Often
O. Aching muscles not due to exercise	0	1	4	-	- 1 -	ECTION A		2	0	0
<ol> <li>Retain fluid and feel swollen around the abdominal area</li> </ol>	0	1	4	8	- 1	When you miss meals or go without food for extended to you experience any of the following symptoms?	perio	ds	of t	tim
2. Reddened skin, especially palms	0	1	4	8	1	A sense of weakness				
<ol><li>Very strong body odor</li></ol>	0	1	4	8		A sudden sense of anxiety when you get hungry	0		200	
4. Are you embarrassed by your breath?	0	1	4	8		Tingling sensation in your hands	0			
5. Bruise easily	(O)N	No	(8	3)Yes		A sensation of your heart beating too quickly	0			4
5. Yellowish cast to eyes	(0)	lo	(8	3)Yes		or forcefully	0	Ī	1	4
						5. Shaky, jittery, hands trembling	0	1	-	4
ART III	al poi	nts				<ol> <li>Sudden profuse sweating and/or your skin feels clammy</li> </ol>	0	1		4
					1	<ol> <li>Nightmares possibly associated with going to bed on an empty stomach</li> </ol>	0	1	- 2	4
CTION A						<ol><li>Wake up at night feeling restless</li></ol>	0	1	4	4
. Feel cold or chilled—hands, feet or all over—for no apparent reason	0	1	140	~		9. Agitation, easily upset, nervous	0	1	2	4
Your upper eyelids look swollen	0	1		8		O. Poor memory, forgetful	0	1	4	4
. Muscles are weak, cramp and/or tremble	0	1	4	8	1	1. Confused or disoriented	0	1	4	1
Are you forgetful?	0	1	4	8	1	2. Dizzy, faint	0	1	4	1
Do you feel like your heart beats slowly?	0	1	4	8	1	3. Cold or numb	0	1	4	1
Reaction time seems slowed down	0	1	4	8		4. Mild headaches or head pounding	0	1	4	0
In general, are you disinterested in sex because	O		4	0	1	5. Blurred vision or double vision	0	1	4	
your desire is low?	0	1	4	8	1.0	5. Feel clumsy and uncoordinated	0	Ţ	4	!
Feel slow-moving, sluggish	0	1	4	8	_		al poi	nts		
Constipation	0	1	4	8		CTION B				
Dryness, discoloration of skin and/or hair	(0)No		(8)	Yes		Frequent urination during the day and night	0	1	4	
Have you noticed recently that your voice is deepening?	(O)No		101	,	2	. Unusual thirst—feeling like you can't drink enough water	0	1	4	
Thick, brittle nails	(0)No		(8) (8)		3	. Unusual hunger—eating all the time	0	1	4	
Weight gain for no apparent reason	(0)No		(8)			. Vision blurs	٥	1	4	
Outer third of your eyebrow is thinning	10/100		(0)	es		. Feel itchy all over	0	Ť	4	8
or disappearing	(0)No		(8) <sub>Y</sub>	es		. Tingling or numbness in your feet	0	1	4	
Swelling of the neck	(O)No		(8)Y	es		Sense of drowsiness, letharay during the day				
Tion B	point	s				not associated with missing meals or not sleeping  Eating starchy foods, even if they are healthy and	0	1	4	8
Lingering mild fatigue after exertion or stress	0 1	2	4 {	8		unprocessed (like rice, corn, beans, whole wheat or oats), causes you to gain weight or prevents you from losing weight	/O\		10	
Do you find that you get tired and exhaust easily?	0 1			.	9	Sores heal slowly	(0)N			Ye
Crowles Is sale for t	0 1	4				Loss of hair on your legs	(0)No			Ye:
Sonsitive to all and	0 1	4	1 8				(0)No	_	(8)	Yes
Dizzy when rising or standing up from a	0 1	4		, I		Total	poin	ts		_
kneeling position	0 1	4	8	}	PA	RT V				
,	0 1	4	8	3			3.			
0	0 1	4	8		SEC	TION A				
	0)No	(8	8)Ye:	5		Feel jittery	0	1	4	8
our body or parts of your body feel tender sore	0)No	(8	B)Yes	5		First effort of the day causes pain, pressure, tightness or heaviness around the chest	0	1	4	8
ensitive to the touch, hot and/or painful (	0 1	4	8			Exhaustion with minor exertion	0	ľ.	4	8
	0 1	4	8			Heavy sweating (no exertion, no hot flashes)	0 1		4	8
kin is gradually tanning without exposure o sun or the ingestion of high levels of						Difficulty catching breath, especially during exercise	0 1	0	4	8
arotene-rich foods (e.g., daily carrot juice intake)	))No	18	Yes			Heart pounding, sensation of heart beating too quickly, too slowly or irregularly  Swelling in feet, ankles and/or legs comes and	0 1	9	4	8
10	1	10	1,00	1	/	weiling in reer, ankies and/or leas comes and				

PA	RT V (cont.)	No/Barely		Occasionali	Оптел	rrequentiy	No/Rarely Occasionally	Occasionally	Often	Frequently
SEC	CTION B					-	SECTION B (cont.)		_	_
	. Muscle pain at rest	0	1	4	1 8		12. Do you become suddenly scared for no reason? 0 1		4	8
2	. Cramp-like pains in your ankles, calves or legs	0	1	4	1 8		13. Do you break out in a cold sweat? 0 1		4	8
	Numbness, tingling and prickling sensation in hands and feet	0	1	4	1 8		14. "Butterflies in your stomach," nausea and/or diarrhea 0 1		4	8
4	Cold feet and/or toes appear blue	0	1	4	8		Total points	s		
	Brief moments of hearing loss	0	1	4	8	1	SECTION C	-		_
	Nausea comes and goes quickly (unrelated to eating	) 0	1	4	8		1. Do you feel pent up and ready to explode? 0 1		4	8
	Feel worse standing: legs get heavy and fatigued	0	1	4	. 8		Are you prone to noisy and emotional outbursts?     0 1		4	8
8.	Leg discomfort or fatigue relieved by elevating legs	0	1	4	8		3. Do you do things on impulse? 0 1		4	8
9.	Fingers and toes get numb in cold weather even						4. Are you easily upset or irritated? 0 1			8
	when protected	0	1	4	8		5. Do you go to pieces if you don't control yourself? 0 1			8
	Notice changes in your ability to feel pain or differentiate between sensations of hot or cold	(O)	No	(8	B)Yes		Do little annoyances get on your nerves and make you angry?			_
11.	Body hair (on arms, hands, fingers, legs and toes) is thinning or has disappeared	101		,,	21		The state of the s	- 2	4	8
12.	Do you notice a decline in your ability to make	(0)	No	(8	3)Yes		7. Does it make you angry to have anyone tell you what to do?  0 1	4	4	8
	decisions, concentrate, focus attention or follow directions?	(O)	No	(8	3)Yes		Do you flare up in anger if you can't have what you want right away?	4	4	8
	Total	poi	nts				Total points			
PAF	RT VI						PART VII			
SEC	TION A						1. Eyes water or tear 0 1	4	1	8
1.	Family, friends, work, hobbies or activities you hold						2. Mucus discharge from the eyes 0 1	4	1	8
	dear are no longer of interest	0	1	4	8	1	3. Ears ache, itch, feel congested or sore 0 1	4	ı	8
	Do you cry?	0	1	4	8		4. Discharge from ears 0 1	4		8
	Does life look entirely hopeless?	0	1	4	8	1	5. Is your nose continually congested? 0 1	4		500
4.	Would you describe yourself as feeling miserable		2		-		6. Are you prone to loud snoring? (0)No		8)Ye	
	and sad, unhappy or blue?	0	1	4	8	1	7. Does your nose run?	- 3		
٥.	Do you find it hard to make the best of difficult situations?	0	1	Δ	8		8. Nosebleeds (O)No		8)Ye	
6.	Sleep problems—too much or too little sleep	0	î	4	8		9. Hoarse voice 0 1	4	12	
	<b>a</b> t	(O)N			)Yes	1	O. Do you have to clear your throat?  O 1	4		
	Lately you've noticed an inability to think clearly	Oliv	u	10	1162		Do you feel a choking lump in your throat?	4		
	or concentrate	(O)N	0	(8)	Yes		2. Do you suffer from severe colds? (0)No		B)Ye	
9. 1	Difficulty making decisions and/or clarifying and						• • • • • • • • • • • • • • • • • • • •	1193	-80	
(	achieving your goals	(O)N	0	(8)	Yes		A Physical Control of the Control of		3)Ye	
	Total	poir	its					- 6	3)Ye	
ECT	ION B								3)Ye	
1. [	Does worrying get you down?	0	1	4	8		The state of the s	4		
2. [	Does every little thing get on your nerves and wear					2000	7. Do you experience sudden breathing difficulties?	4	1 100	
)	∕ou out?	0	1	4	8		B. Do you struggle with shortness of breath?	4	8	
	Ang. It is a substitute of the state of the	0	1	4	8		P. Difficulty exhaling (breathing out) 0 1	4	8	
4. [	Do you feel easily agitated?	0	1	4	8	4	Breathlessness followed by coughing during exertion, no matter how slight	4	8	
5. [	Do you shake and tremble?	0	1	4	8	2	I Delica I de la Carta de la C			
6. A	Are you keyed up and jittery?	0	1	4	8			4	8	
7. [ s	Do you tremble or feel weak when someone houts at you?	0	1	4	8		Can you hear noisy rattling sounds when breathing	4	8	
8. 0	o you become scared at sudden movements or oises at night?	0				2.	X	4	8	
	6 1 16 11 1	0			8	4,000	D	4	8	
		0	E	4	8		Davis beautiful 1: 1: 1: 1: 1: 1: 1: 1: 1: 1: 1: 1: 1:	4	8	
u. A	are you awakened out of your sleep by			327 3	_			5.50		
tr	ightening dreams? ( o frightening thoughts keep coming back in your mind? (	)	0	4	8	21	. Do your lips and/or nails have a bluish hue? 0 1 .	4	8	


PART VII (cont.)	No/Rarely	Occasionally	Often	Frequently			No/Rarely	Occasionally	Often	Frequently
29. Do you have difficulty concentrating?	0	1	4	8	SE	TION B (cont.)			1	
30. Eyes, ears, nose, throat and lung symptoms seem associated with specific foods like dairy or wheat products	(O)	No	18	3)Yes	,8	Intermittent pain or ache on one side of head spreading to cheek, temple, lower jaw, ear, neck and shoulder	0	1	4	8
31. Eyes, ears, nose, throat and lung symptoms are	101		1.	7.00	9	Difficulty chewing food or opening mouth	0	1	4	8
associated with seasonal changes	(O)	No	(8	3)Yes	1	Difficulty standing up from a sitting position	0	1	4	8
PART VIII	l po	ints				Shooting, aching, tingling pain down the back of leg Is it difficult to reach up and get a 5-pound object like a bag of flour from just above your head?	0 (0)	1	4	8 3)Yes
TAKI VIII					13	Injure, strain or sprain easily	(0)		- 0	Yes
1. Involuntary loss of urine when you cough, lift						Total			,,	7.03
something or strain during an activity	0	1	4	8	CE/	TION C	ро	1115	_	
2. Mild lower back ache or pain	0	1	4	8			^	,	,	0
3. Abdominal achiness or pain	0	1	4	8	3 -	Muscles stiff, sore, tense and/or achy	0	1	4	8
4. Pain or burning when urinating	0	1	4	8		Burning, throbbing, shooting or stabbing muscle pain	0	į	4	8
5. Rarely feel the urge to urinate	0	1	4	8	3	Muscle cramps or spasms (involuntary or after exertion/exercise)	0	1	4	8
<ol> <li>Feel the need to urinate less than every two hours during the day or night</li> </ol>	0	1	4	8	4	Is muscle pain or stiffness greater in the morning than other times of the day?	0	1	4	8
7. Strong smelling urine	0	1	4	8	5	Specific points on body feel sore when pressed	0	1	4	8
Back or leg pains are associated with dripping after urination	0	1	4	8	6	Feel unrefreshed upon awakening	0	1	4	8
Sore or painful genitals	0	1	4	8	7	Headaches	0	1	4	8
10. Urine is a rose color	0	1	4	8	8	Pain at the sides of your head or in your face	0	ÿ		0
11. Sudden urge to void causes involuntary loss of urine	0	1		8	0	especially when awakening	0	1	4	8
12. Generalized sense of water retention throughout				-		Your jaw clicks or pops  Muscle twitch or tremor—eyelids, thumb, calf muscle	0	1		8
your body	0	1	4	8		Irresistible urge to move legs	0	1	4	8
Total	l poi	nts			1	Legs move during sleep	0	1	4	8
PART IX						Unpleasant crawling sensation inside calves when lying down	0	1	4	8
SECTION A					14.	Hand and wrist numbness or pain (e.g., interferes with writing or with buttoning or unbuttoning your clothes)	0	1	4	8
<ol> <li>Bones throughout your entire body ache, feel tender or sore</li> </ol>	0	1	4	8	15.	Feeling of "pins and needles" in your thumb and first three fingers	0	1	4	8
2. Localized bone pain	0	1	4	8	16.	Pain in forearm and sometimes in shoulder	0	1	4	8
3. Hands, feet or throat get tight, spasm or feel numb	0	1	4	8		Total	poir	nts		
4. Difficulty sitting straight	0	1	4	8	ΡΔ	RTX				
5. Upper back pain	0	1	4	8						
6. Lower back pain	0	1	4	8	SEC	TION A				
7. Pain when sitting down or walking	0	1	4	8			^	1	4	0
8. Find yourself limping or favoring one leg	0	1	4	8	5000	Head feels heavy	0	1	4	8
9. Shins hurt during or after exercise	0	1	4	8		Dizziness	O	1	4	8
Tota	poi	nts	L_		٥.	Difficulty bending over, standing up from sitting, rolling over in bed and/or turning your head from				
SECTION B						side to side	0	1	4	8
Are you stiff in the morning when you wake up?     Difficulty bending down and picking up clothing or	0	1	4	8		Your hands tremble, ever so slightly, for no apparent reason	0	1	4	8
anything from the floor	0	1	4	8	5.	You feel like you're wearing heavy weights on your feet when walking	0	1	4	8
<ol> <li>Joint swelling, pain or stiffness involving one or more areas (fingers, hands, wrists, elbows, shoulders, toes, arches, feet, ankles, knees or ankles)</li> </ol>	0	1	4	8	1	Bump into things, trip, stumble and feel clumsy	0	1	4	8
4. Joints hurt when moving or when carrying weight	0	1	4	8		Difficulty breathing	0	1	4	8
A routine exercise program, like daily walking, causes your knees to swell or hurt	0	ī	4			Difficulty swallowing People tell you to speak up because they have	0	1	4	
Difficulty opening jars that were previously easy to open	0	1	4	8		Speaking and forming words does not feel automatic	0	1	4	8
7. Discomfort, numbness, prickling or tingling sensation, or pain in neck, shoulder or arm	0	ī	4	8	11,	Need 10-12 hours of sleep to feel rested	0	1	4	8

	No/Raraly	llegarion O	Occasionally	Offen	No/Rarely Occasionally	Often
ECTION A (cont.)					SECTION A (cont.)	
<ol><li>Lack strength (your grip is weak, holding your head or picking your arms up takes effort)</li></ol>	d 0	1	1	1 8	[B]	
Hands get tired when you write and your handwrit is less legible and smaller than it used to be				8) Yes	5. Abdominal bloating, feeling swollen (e.g., feet) (0)No 6. Temporary weight gain (0)No	(8
4. Muscles in arms and legs seem softer and smaller	(0)			8) Yes	7. Breast tenderness, swelling (0)No	(8
5. Is your evesight, sense of smell and taste or ability	(0)	1.40	E	Offics	8. Appearance of breast lumps (0)No	(
to hear not as sharp as it used to be?	(O)	No	(	8)Yes	9. Discharge from nipples (0)No	(
5. Do you find yourself moving slower than you used to?	(O)	No	(8	8)Yes	10. Nausea and/or vomiting (0)No	(
	tal po	ints			11. Diarrhea or constipation (0)No	(
CTION B					12. Aches and pains (back, joints, etc.) (0)No	(
Difficulty absorbing new information	0	1	4	. 8	[c]	.00
2. Tend to forget things	0	1	4	0 000	13. Craving for sweets (0)No	(
3. Trouble thinking or concentrating	0	1	4	-	14. Increased appetite or binge eating (0)No 15. Headaches (0)No	(
4. Easily distracted	0	1	4	8		(
5. Do you have a tendency to become frustrated quickly?	0	1	4	8	16. Being easily overwhelmed, shaky or clumsy (0)No 17. Heart pounding (0)No	(
b. Inability to sit still for any length of time, even at mealtime	×	31	7	_	18. Dizziness or fainting (0)No	(
	0	1	4	8	[D]	1
7. Finishing tasks is easier said than done	0	1	4	8	19. Confused and forgetful to the point that work suffers (0)No	(
Do you have more trouble solving problems or managing your time than usual?	0	ĩ	4	8	20. Overwhelmed with feelings of sadness and worthlessness (0)No	(
Low tolerance for stress and otherwise			-		21. Difficulty sleeping or falling asleep (0)No	(8
ordinary problems	0	1	4	8	22. Engaging in self-destructive behavior (0)No	(8
Tot	al poi	nts			Total points	
ART XI					SECTION B	
					SECTION D	
					Do you experience any of these symptoms during your period?	
Men Only						(8
Men Only  Sensation of not emptying your bladder completely.	0	1	4	8	Do you experience any of these symptoms during your period?  1. Cramping in lower abdomen or pelvic area (0)No  2. Lower abdominal pain is sharp and/or dull or intermittent (0)No	130
. Sensation of not emptying your bladder completely	0	1	4	8	Do you experience any of these symptoms during your period?  1. Cramping in lower abdomen or pelvic area (0)No 2. Lower abdominal pain is sharp and/or dull or intermittent (0)No 3. Bloating and sense of abdominal fullness (0)No	(8
. Sensation of not emptying your bladder completely . Need to urinate less than 2 hours after you have finished urinating	0	1	4	7/2	Do you experience any of these symptoms during your period?  1. Cramping in lower abdomen or pelvic area (0)No 2. Lower abdominal pain is sharp and/or dull or intermittent (0)No 3. Bloating and sense of abdominal fullness (0)No 4. Diarrhea or constipation (0)No	(8)
Sensation of not emptying your bladder completely     Need to urinate less than 2 hours after you have finished urinating     Find yourself needing to stop and start again	0	1	4	8	Do you experience any of these symptoms during your period?  1. Cramping in lower abdomen or pelvic area (0)No 2. Lower abdominal pain is sharp and/or dull or intermittent (0)No 3. Bloating and sense of abdominal fullness (0)No 4. Diarrhea or constipation (0)No 5. Nausea and/or vomiting (0)No	8) 8) 8)
Sensation of not emptying your bladder completely     Need to urinate less than 2 hours after you have finished urinating     Find yourself needing to stop and start again several times while urinating	2	1 1 1	4	8	Do you experience any of these symptoms during your period?  1. Cramping in lower abdomen or pelvic area (0)No 2. Lower abdominal pain is sharp and/or dull or intermittent (0)No 3. Bloating and sense of abdominal fullness (0)No 4. Diarrhea or constipation (0)No 5. Nausea and/or vomiting (0)No 6. Low back and/or legs ache	8) 8) 8) 8)
Sensation of not emptying your bladder completely     Need to urinate less than 2 hours after you have finished urinating     Find yourself needing to stop and start again several times while urinating     Find it difficult to postpone urination	0	1 1 1 1 1	4 4 4	8 8	Do you experience any of these symptoms during your period?  1. Cramping in lower abdomen or pelvic area (0)No 2. Lower abdominal pain is sharp and/or dull or intermittent (0)No 3. Bloating and sense of abdominal fullness (0)No 4. Diarrhea or constipation (0)No 5. Nausea and/or vomiting (0)No 6. Low back and/or legs ache (0)No 7. Headaches	8) 8) 8) 8) 8)
Sensation of not emptying your bladder completely     Need to urinate less than 2 hours after you have finished urinating     Find yourself needing to stop and start again several times while urinating     Find it difficult to postpone urination     Have a weak urinary stream	0 0 0	1 1 1 1 1 1 1	4 4 4	8 8 8	Do you experience any of these symptoms during your period?  1. Cramping in lower abdomen or pelvic area (0)No 2. Lower abdominal pain is sharp and/or dull or intermittent (0)No 3. Bloating and sense of abdominal fullness (0)No 4. Diarrhea or constipation (0)No 5. Nausea and/or vomiting (0)No 6. Low back and/or legs ache (0)No 7. Headaches (0)No 8. Unusual fatigue (take naps) resulting in missed work (0)No	8) 8) 8) 8) 8) 8)
Sensation of not emptying your bladder completely Need to urinate less than 2 hours after you have finished urinating Find yourself needing to stop and start again several times while urinating Find it difficult to postpone urination Have a weak urinary stream Need to push or strain to begin urinating	0 0 0 0	1 1 1 1 1 1 1 1	4 4 4 4	8 8 8 8	Do you experience any of these symptoms during your period?  1. Cramping in lower abdomen or pelvic area (0)No 2. Lower abdominal pain is sharp and/or dull or intermittent (0)No 3. Bloating and sense of abdominal fullness (0)No 4. Diarrhea or constipation (0)No 5. Nausea and/or vomiting (0)No 6. Low back and/or legs ache (0)No 7. Headaches (0)No 8. Unusual fatigue (take naps) resulting in missed work (0)No 9. Painful and/or swollen breasts (0)No	3) 3) 3) 3) 3) 3) 3)
Sensation of not emptying your bladder completely Need to urinate less than 2 hours after you have finished urinating Find yourself needing to stop and start again several times while urinating Find it difficult to postpone urination Have a weak urinary stream Need to push or strain to begin urinating Dripping after urination	0 0 0	1 1 1 1 1 1 1 1 1	4 4 4 4 4	8 8 8 8	Do you experience any of these symptoms during your period?  1. Cramping in lower abdomen or pelvic area (0)No 2. Lower abdominal pain is sharp and/or dull or intermittent (0)No 3. Bloating and sense of abdominal fullness (0)No 4. Diarrhea or constipation (0)No 5. Nausea and/or vomiting (0)No 6. Low back and/or legs ache (0)No 7. Headaches (0)No 8. Unusual fatigue (take naps) resulting in missed work (0)No 9. Painful and/or swollen breasts (0)No	3) 3) 3) 3) 3) 3) 3)
Sensation of not emptying your bladder completely Need to urinate less than 2 hours after you have finished urinating Find yourself needing to stop and start again several times while urinating Find it difficult to postpone urination Have a weak urinary stream Need to push or strain to begin urinating Dripping after urination Urge to urinate several times a night	0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4 4 4 4	8 8 8 8	Do you experience any of these symptoms during your period?  1. Cramping in lower abdomen or pelvic area (0)No 2. Lower abdominal pain is sharp and/or dull or intermittent (0)No 3. Bloating and sense of abdominal fullness (0)No 4. Diarrhea or constipation (0)No 5. Nausea and/or vomiting (0)No 6. Low back and/or legs ache (0)No 7. Headaches (0)No 8. Unusual fatigue (take naps) resulting in missed work (0)No 9. Painful and/or swollen breasts (0)No 10. Scanty blood flow (0)No	3) 3) 3) 3) 3) 3) 3)
. Sensation of not emptying your bladder completely . Need to urinate less than 2 hours after you have finished urinating . Find yourself needing to stop and start again several times while urinating . Find it difficult to postpone urination . Have a weak urinary stream . Need to push or strain to begin urinating . Dripping after urination . Urge to urinate several times a night	0 0 0 0 0	1 1 1 1 1 1 1 nts	4 4 4 4 4	8 8 8 8	Do you experience any of these symptoms during your period?  1. Cramping in lower abdomen or pelvic area (0)No 2. Lower abdominal pain is sharp and/or dull or intermittent (0)No 3. Bloating and sense of abdominal fullness (0)No 4. Diarrhea or constipation (0)No 5. Nausea and/or vomiting (0)No 6. Low back and/or legs ache (0)No 7. Headaches (0)No 8. Unusual fatigue (take naps) resulting in missed work (0)No 9. Painful and/or swollen breasts (0)No 10. Scanty blood flow (0)No  Total points	3) 3) 3) 3) 3) 3) 3) 3)
. Sensation of not emptying your bladder completely . Need to urinate less than 2 hours after you have finished urinating . Find yourself needing to stop and start again several times while urinating . Find it difficult to postpone urination . Have a weak urinary stream . Need to push or strain to begin urinating . Dripping after urination . Urge to urinate several times a night	0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4 4 4 4 4	8 8 8 8	Do you experience any of these symptoms during your period?  1. Cramping in lower abdomen or pelvic area (0)No 2. Lower abdominal pain is sharp and/or dull or intermittent (0)No 3. Bloating and sense of abdominal fullness (0)No 4. Diarrhea or constipation (0)No 5. Nausea and/or vomiting (0)No 6. Low back and/or legs ache (0)No 7. Headaches (0)No 8. Unusual fatigue (take naps) resulting in missed work (0)No 9. Painful and/or swollen breasts (0)No 10. Scanty blood flow (0)No  Total points  SECTION C	3) 3) 3) 3) 3) 3) 3) 3) 8) 8)
. Sensation of not emptying your bladder completely . Need to urinate less than 2 hours after you have finished urinating . Find yourself needing to stop and start again several times while urinating . Find it difficult to postpone urination . Have a weak urinary stream . Need to push or strain to begin urinating . Dripping after urination . Urge to urinate several times a night  Tota  RT XII	0 0 0 0 0 0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4 4 4 4 4	8 8 8 8	Do you experience any of these symptoms during your period?  1. Cramping in lower abdomen or pelvic area (0)No 2. Lower abdominal pain is sharp and/or dull or intermittent (0)No 3. Bloating and sense of abdominal fullness (0)No 4. Diarrhea or constipation (0)No 5. Nausea and/or vomiting (0)No 6. Low back and/or legs ache (0)No 7. Headaches (0)No 8. Unusual fatigue (take naps) resulting in missed work (0)No 9. Painful and/or swollen breasts (0)No 10. Scanty blood flow (0)No  Total points  SECTION C  1. Painful or difficult sexual intercourse 0 1 2. Low abdominal, back and vaginal pain	(8 (8 (8 (8 (8 (8 (8 (8
. Sensation of not emptying your bladder completely . Need to urinate less than 2 hours after you have finished urinating . Find yourself needing to stop and start again several times while urinating . Find it difficult to postpone urination . Have a weak urinary stream . Need to push or strain to begin urinating . Dripping after urination . Urge to urinate several times a night	0 0 0 0 0 0	1 1 1 1 1 1 1 1 nts	4 4 4 4 4	8 8 8 8	Do you experience any of these symptoms during your period?  1. Cramping in lower abdomen or pelvic area (0)No 2. Lower abdominal pain is sharp and/or dull or intermittent (0)No 3. Bloating and sense of abdominal fullness (0)No 4. Diarrhea or constipation (0)No 5. Nausea and/or vomiting (0)No 6. Low back and/or legs ache (0)No 7. Headaches (0)No 8. Unusual fatigue (take naps) resulting in missed work (0)No 9. Painful and/or swollen breasts (0)No 10. Scanty blood flow (0)No  Total points  SECTION C  1. Painful or difficult sexual intercourse 0 1 2. Low abdominal, back and vaginal pain throughout the month 70 1 3. Pelvic pressure or pain while sitting down or	(8 (8 (8 (8 (8 (8 (8 (8
. Sensation of not emptying your bladder completely . Need to urinate less than 2 hours after you have finished urinating . Find yourself needing to stop and start again several times while urinating . Find it difficult to postpone urination . Have a weak urinary stream . Need to push or strain to begin urinating . Dripping after urination . Urge to urinate several times a night  Tota  RT XII	0 0 0 0 0 0		4 4 4 4 4	8 8 8 8	Do you experience any of these symptoms during your period?  1. Cramping in lower abdomen or pelvic area (0)No 2. Lower abdominal pain is sharp and/or dull or intermittent (0)No 3. Bloating and sense of abdominal fullness (0)No 4. Diarrhea or constipation (0)No 5. Nausea and/or vomiting (0)No 6. Low back and/or legs ache (0)No 7. Headaches (0)No 8. Unusual fatigue (take naps) resulting in missed work (0)No 9. Painful and/or swollen breasts (0)No 10. Scanty blood flow (0)No  Total points  SECTION C  1. Painful or difficult sexual intercourse 0 1 2. Low abdominal, back and vaginal pain throughout the month 0 1 3. Pelvic pressure or pain while sitting down or standing up, relieved by lying down 0 1	(8 (8 (8 (8 (8 (8 (8 (8 4 4
. Sensation of not emptying your bladder completely . Need to urinate less than 2 hours after you have finished urinating . Find yourself needing to stop and start again several times while urinating . Find it difficult to postpone urination . Have a weak urinary stream . Need to push or strain to begin urinating . Dripping after urination . Urge to urinate several times a night  Tota  RT XII  Women Only  (Menopausal women should skip to Sections E	0 0 0 0 0 0		4 4 4 4 4	8 8 8 8	Do you experience any of these symptoms during your period?  1. Cramping in lower abdomen or pelvic area (0)No 2. Lower abdominal pain is sharp and/or dull or intermittent (0)No 3. Bloating and sense of abdominal fullness (0)No 4. Diarrhea or constipation (0)No 5. Nausea and/or vomiting (0)No 6. Low back and/or legs ache (0)No 7. Headaches (0)No 8. Unusual fatigue (take naps) resulting in missed work (0)No 9. Painful and/or swollen breasts (0)No 10. Scanty blood flow (0)No  Total points  SECTION C  1. Painful or difficult sexual intercourse 0 1 2. Low abdominal, back and vaginal pain throughout the month 0 1 3. Pelvic pressure or pain while sitting down or standing up, relieved by lying down 0 1 4. Vaginal bleeding other than during your period 0 1	(8 (8 (8 (8 (8 (8 (8 4 4 4
. Sensation of not emptying your bladder completely . Need to urinate less than 2 hours after you have finished urinating . Find yourself needing to stop and start again several times while urinating . Find it difficult to postpone urination . Have a weak urinary stream . Need to push or strain to begin urinating . Dripping after urination . Urge to urinate several times a night  Tota  RT XII  Women Only  (Menopausal women should skip to Sections E  TION A  you persistently experience any of these symptoms we	O O O O O al poir	)	4 4 4 4 4	8 8 8 8	Do you experience any of these symptoms during your period?  1. Cramping in lower abdomen or pelvic area (0)No 2. Lower abdominal pain is sharp and/or dull or intermittent (0)No 3. Bloating and sense of abdominal fullness (0)No 4. Diarrhea or constipation (0)No 5. Nausea and/or vomiting (0)No 6. Low back and/or legs ache (0)No 7. Headaches (0)No 8. Unusual fatigue (take naps) resulting in missed work (0)No 9. Painful and/or swollen breasts (0)No 10. Scanty blood flow (0)No  Total points  SECTION C  1. Painful or difficult sexual intercourse 0 1 2. Low abdominal, back and vaginal pain throughout the month 0 1 3. Pelvic pressure or pain while sitting down or standing up, relieved by lying down 0 1 4. Vaginal bleeding other than during your period 0 1 5. Painful bowel movements 0 1	(8 (8 (8 (8 (8 (8 (8 4 4 4 4 4
. Sensation of not emptying your bladder completely . Need to urinate less than 2 hours after you have finished urinating . Find yourself needing to stop and start again several times while urinating . Find it difficult to postpone urination . Have a weak urinary stream . Need to push or strain to begin urinating . Dripping after urination . Urge to urinate several times a night  Tota  RT XII  Women Only  (Menopausal women should skip to Sections E  TION A  you persistently experience any of these symptoms we	O O O O O al poir	)	4 4 4 4 4	8 8 8 8	Do you experience any of these symptoms during your period?  1. Cramping in lower abdomen or pelvic area (0)No 2. Lower abdominal pain is sharp and/or dull or intermittent (0)No 3. Bloating and sense of abdominal fullness (0)No 4. Diarrhea or constipation (0)No 5. Nausea and/or vomiting (0)No 6. Low back and/or legs ache (0)No 7. Headaches (0)No 8. Unusual fatigue (take naps) resulting in missed work (0)No 9. Painful and/or swollen breasts (0)No 10. Scanty blood flow (0)No  Total points  SECTION C  1. Painful or difficult sexual intercourse 0 1 2. Low abdominal, back and vaginal pain throughout the month 0 1 3. Pelvic pressure or pain while sitting down or standing up, relieved by lying down 0 1 4. Vaginal bleeding other than during your period 0 1 5. Painful bowel movements 0 1 6. Difficult (straining) urination 0 1	(8 (8 (8 (8 (8 (8 (8 4 4 4
. Sensation of not emptying your bladder completely . Need to urinate less than 2 hours after you have finished urinating . Find yourself needing to stop and start again several times while urinating . Find it difficult to postpone urination . Have a weak urinary stream . Need to push or strain to begin urinating . Dripping after urination . Urge to urinate several times a night  Tota  RT XII  Women Only  (Menopausal women should skip to Sections E CTION A  you persistently experience any of these symptoms was to two weeks prior to menstruation?	O O O O O al poir	thre	4 4 4 4 4 4	8 8 8 8 8	Do you experience any of these symptoms during your period?  1. Cramping in lower abdomen or pelvic area (0)No 2. Lower abdominal pain is sharp and/or dull or intermittent (0)No 3. Bloating and sense of abdominal fullness (0)No 4. Diarrhea or constipation (0)No 5. Nausea and/or vomiting (0)No 6. Low back and/or legs ache (0)No 7. Headaches (0)No 8. Unusual fatigue (take naps) resulting in missed work (0)No 9. Painful and/or swollen breasts (0)No 10. Scanty blood flow (0)No  Total points  SECTION C  1. Painful or difficult sexual intercourse 0 1 2. Low abdominal, back and vaginal pain throughout the month 0 1 3. Pelvic pressure or pain while sitting down or standing up, relieved by lying down 0 1 4. Vaginal bleeding other than during your period 0 1 5. Painful bowel movements 0 1	(8 (8 (8 (8 (8 (8 (8 4 4 4 4 4 4
. Sensation of not emptying your bladder completely . Need to urinate less than 2 hours after you have finished urinating . Find yourself needing to stop and start again several times while urinating . Find it difficult to postpone urination . Have a weak urinary stream . Need to push or strain to begin urinating . Dripping after urination . Urge to urinate several times a night  Tota  RT XII  Women Only  (Menopausal women should skip to Sections E TION A  you persistently experience any of these symptoms was to two weeks prior to menstruation?	o o o o o al poir	) tthre	4 4 4 4 4 4 4	8 8 8 8 8 8 8	Do you experience any of these symptoms during your period?  1. Cramping in lower abdomen or pelvic area (0)No 2. Lower abdominal pain is sharp and/or dull or intermittent (0)No 3. Bloating and sense of abdominal fullness (0)No 4. Diarrhea or constipation (0)No 5. Nausea and/or vomiting (0)No 6. Low back and/or legs ache (0)No 7. Headaches (0)No 8. Unusual fatigue (take naps) resulting in missed work (0)No 9. Painful and/or swollen breasts (0)No 10. Scanty blood flow (0)No  Total points  SECTION C  1. Painful or difficult sexual intercourse 0 1 2. Low abdominal, back and vaginal pain throughout the month 0 1 3. Pelvic pressure or pain while sitting down or standing up, relieved by lying down 0 1 4. Vaginal bleeding other than during your period 0 1 5. Painful bowel movements 0 1 6. Difficult (straining) urination 0 1 7. Abnormal vaginal discharge 0 1	(8 (8 (8 (8 (8 (8 (8 4 4 4 4 4 4 4 4 4
Sensation of not emptying your bladder completely Need to urinate less than 2 hours after you have finished urinating Find yourself needing to stop and start again several times while urinating Find it difficult to postpone urination Have a weak urinary stream Need to push or strain to begin urinating Dripping after urination Urge to urinate several times a night  Tota  RT XII  Women Only  (Menopausal women should skip to Sections E  TION A  you persistently experience any of these symptoms was to two weeks prior to menstruation?  Anxious, irritable or restless Numbness, tingling in hands and feet	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	thre	4 4 4 4 4 4 4 (8)	8 8 8 8 8 8 8 9 Yes	Do you experience any of these symptoms during your period?  1. Cramping in lower abdomen or pelvic area (0)No 2. Lower abdominal pain is sharp and/or dull or intermittent (0)No 3. Bloating and sense of abdominal fullness (0)No 4. Diarrhea or constipation (0)No 5. Nausea and/or vomiting (0)No 6. Low back and/or legs ache (0)No 7. Headaches (0)No 8. Unusual fatigue (take naps) resulting in missed work (0)No 9. Painful and/or swollen breasts (0)No 10. Scanty blood flow (0)No  SECTION C  1. Painful or difficult sexual intercourse 0 1 2. Low abdominal, back and vaginal pain throughout the month 0 1 3. Pelvic pressure or pain while sitting down or standing up, relieved by lying down 0 1 4. Vaginal bleeding other than during your period 0 1 5. Painful bowel movements 0 1 6. Difficult (straining) urination 0 1 7. Abnormal vaginal discharge 0 1 8. Offensive vaginal discharge 0 1 9. Vaginal itching or burning with or without intercourse 0 1 10. Pain during periods is getting progressively worse (0)No	(8 (8 (8 (8 (8 (8 (8 4 4 4 4 4 4 4
. Sensation of not emptying your bladder completely . Need to urinate less than 2 hours after you have finished urinating . Find yourself needing to stop and start again several times while urinating . Find it difficult to postpone urination . Have a weak urinary stream . Need to push or strain to begin urinating . Dripping after urination . Urge to urinate several times a night  Tota  RT XII  Women Only  (Menopausal women should skip to Sections E TION A  you persistently experience any of these symptoms was to two weeks prior to menstruation?	o o o o o al poir	thre	4 4 4 4 4 4 4	8 8 8 8 8 8 8 9 Yes	Do you experience any of these symptoms during your period?  1. Cramping in lower abdomen or pelvic area (0)No 2. Lower abdominal pain is sharp and/or dull or intermittent (0)No 3. Bloating and sense of abdominal fullness (0)No 4. Diarrhea or constipation (0)No 5. Nausea and/or vomiting (0)No 6. Low back and/or legs ache (0)No 7. Headaches (0)No 8. Unusual fatigue (take naps) resulting in missed work (0)No 9. Painful and/or swollen breasts (0)No 10. Scanty blood flow (0)No  SECTION C  1. Painful or difficult sexual intercourse 0 1 2. Low abdominal, back and vaginal pain throughout the month 0 1 3. Pelvic pressure or pain while sitting down or standing up, relieved by lying down 0 1 4. Vaginal bleeding other than during your period 0 1 5. Painful bowel movements 0 1 6. Difficult (straining) urination 0 1 7. Abnormal vaginal discharge 0 1 8. Offensive vaginal discharge 0 1 9. Vaginal itching or burning with or without intercourse 0 1	(8 (8 (8 (8 (8 (8 (8 4 4 4 4 4 4 4 4 4 4

PART XII (cont.)	No/Rarely	Occasionally	Often	Frequently			No/Rarely	Occasionally	Often	Frequently
SECTION D					-	TION E (cont.)	_	-	-	Œ.
1. Absence of periods for six months or longer	(0)	No	(8	Yes					2	125
2. Periods occur irregularly (e.g., 3 to 6 times a year)	(0)		1000	Yes		Interest in having sex is low	0	1	4	8
3. Profuse heavy bleeding during periods	0	1	4	8	- 1	Engorged breasts	0	1	4	8
4. Menstrual blood contains clots and tissue	0	1	4	8		Breast tenderness, soreness	0	1	4	8
5. Bleeding between periods can occur anytime	0	1		8		Difficulty with orgasm	0	1	4	8
6. Periods occur greater than every 35 days	(0)	350	1000	Yes		Vaginal bleeding after sexual intercourse	0	1	4	8
<ol> <li>Intense upper stomach pain, lasting several hours at the time you ovulate (approximately day 14 of your cycle)</li> </ol>	0	1	4	•	1	The length (number of days) of your period varies month to month, with the number of days of	(0)		(8)	
Bleeding occurs at ovulation (approximately day 14 of your cycle)	0	1	4	8		Total	noi	nts	_	$\neg$
9. Monthly abdominal pain without bleeding	0	1	4	8	SE	TION F	PO			
10. Abundant cervical mucus	0	1	4	8	1	Sense of well-being fluctuates throughout the day				
11. Acne and/or oily skin	0	1	4	8		for no apparent reason	0	1	4	8
12. Overwhelming urges for sexual intercourse	0	1	4	8	1	Sudden hot flashes	0	1	4	8
13. Aggressive feelings	0	1		8	1	Spontaneous sweating	0	1	4	8
14. Increased growth of dark facial and/or body hair	(O)N		(8)		4	Chills	0	1	4	8
15. Poor sense of smell	(O)N		(8)		5	Cold hands and feet	0	1	4	8
16. Voice is becoming deeper	(O)N		(8)		6	Heart beats rapidly or feels like it is fluttering	0	1	4	8
17. Breasts seem to be getting smaller	(0)No		(8)		7	Numbness, tingling or prickling sensations	0	1	4	8
18. Receding hairline	(O)No		(8)		8	Dizziness	0	1	4	8
	37.000	_	(0)	162	9	Mental fogginess, forgetful or distracted	0	1	4	8
ECTION E	l poin	ts			10	nability to concentrate	0	1	4 8	8
Vaginal discharge					11	Depression, anxiety, nervousness and/or irritability	0	1	4 8	8
	0	l	4	8		Seffer the desired	0	1	4 8	8
2. Vaginal secretions are watery and thin	0	1	4	8	13	Conscious of new feelings of anger and frustration (	0	1	4 8	3
3. Vaginal dryness	0	1	4	8		destruction and a second	2	1	4 8	3
4. Sexual intercourse is uncomfortable	0	L	4	8		topped menstruating around six months ago, yet	)No		(8) Ye	
						Total p	aint			٦

Please mark an "X" to indicate areas where you feel pain, swelling or discomfort, or areas of your skin that have changed color or texture (e.g., moles, rashes, etc.). Describe what you feel or observe in your own words. Write anywhere in this area.





CASH CARREST CONT.				Date of birth _		Date			
Address				City		State		Zip Code	
i none				E-mail					
Occupation				AgeHe	eight	SexNum	ber of Chi	ldren	
marital Status:	∟ Single	☐ Partner	☐ Married	☐ Separa	ited 🗆	Divorced		dow(er)	
Are you recovering for	om a cold or flu? _		Are you pregna	ant?					
Reason for office visi	t:						Date	began:	
Date of last physical e	exam P	ractitioner name a	nd phone number _				_		
Laboratory procedure	s performed (e.g., st	tool analysis, blood	and urine chemistr	ries, hair analysi	s):				
Outcome						4			
What types of therapy	have you tried for th	nis problem(s):							
☐ diet modificati ☐ other	on 🗆 fasting	Uvitamins/mineral:			☐ chiropraction				
ist current health pro				7					
urrent medications (p	rescription or over-	the-counter):							
Major Hospitalizations	Surgeries, Injuries:	: Please list all proc	edures, complicatio	ons (if any) and o	dates:				
ear Si	irgery, Illness, Injury					Outcome			
						outcome			
ircle the level of stress	you are experienci	ng on a scale of 1 to	10 (1 being the low	vest): 1 2	3 4	5 6	7	8 9	10
entity the major causes	or stress (e.g., chang	ges in job, work, resid	ience or finances, leg	gal problems): _					
o you consider yours			- 1-	ust right Y	our weight too	lay			
ave you had an uninter	ntional weight loss or	gain of 10 pounds of	or more in the last th	ree months?					
your job associated w	rith potentially harm	ıful chemicals (e.g.,	pesticides, radioac	ctivity, solvents)	or health and	or life threater	ning activ	ities (e. a	firoman
rmer, miner)?							5 activ	rties (e.g.,	meman
☐ Corrective lense:	5 □ Denture	s 🗆 Hearin	g aid DM	a disal de de de	1				
		- Incam	g aid	edical devices/p	rostnetics/imp	lants, describe:			
		□see □h							
				□ smell	☐ feel hot/o	old sensations			-
☐ move around (si	t upright, stand, wal	k, run, pick up thing			☐ feel hot/o	old sensations ingers)			
move around (si	t upright, stand, wal e following flavors:	□ so	s, swing your arms		☐ feel hot/o head, wiggle fi ☐ rich/fatty	ingers)	ungent	□ saltv	6
☐ move around (si rong like for any of th rong dislike for any o	t upright, stand, wal e following flavors: ne of the following	flavors: So	s, swing your arms to	freely, turn your	head, wiggle f	ingers) □ spicy/p		□ salty	
□ move around (si rong like for any of th rong dislike for any o you: □ Prefer warm	t upright, stand, wal e following flavors: ne of the following t th (i.e., food, drinks, v	flavors: so	s, swing your arms to bur bitter bur bitter	freely, turn your sweet sweet	head, wiggle fi rich/fatty rich/fatty	ingers)  spicy/p  spicy/p	ungent	□ salty □ salty	
□ move around (si rong like for any of th rong dislike for any o you: □ Prefer warm	t upright, stand, wal e following flavors: ne of the following t th (i.e., food, drinks, v	flavors: so	s, swing your arms to bur bitter bur bitter	freely, turn your sweet sweet	head, wiggle fi rich/fatty rich/fatty	ingers) □ spicy/p	ungent		
☐ move around (si rong like for any of th rong dislike for any of you: ☐ Prefer warm your sleep disturbed a	t upright, stand, wal e following flavors: ne of the following th th (i.e., food, drinks, was t the same time eac	flavors: So weather, etc.)	s, swing your arms tour  bitter our  bitter our  bitter  Prefer cold (i.e., f	freely, turn your  sweet sweet food, drinks, wea	head, wiggle fi  rich/fatty  rich/fatty ather, etc.)	ingers)  spicy/p  spicy/p  No pref	ungent	□ salty	
☐ move around (si rong like for any of rong dislike for any of you: ☐ Prefer warm rour sleep disturbed a re of day you feel the of ☐ 7 a.m 9 a.m.	t upright, stand, wal e following flavors: ne of the following th th (i.e., food, drinks, was t the same time eac	flavors: So weather, etc.)	s, swing your arms our bitter our bitter our bitter Prefer cold (i.e., f	freely, turn your  sweet sweet food, drinks, wea  of day you feel t	head, wiggle fi  rich/fatty  rich/fatty ather, etc.)	ingers)  spicy/p spicy/p No pref	ungent erence symptoms	□ salty	
☐ move around (si rong like for any of the rong dislike for any of you: ☐ Prefer warm rour sleep disturbed a ne of day you feel the warm ☐ 7 a.m 9 a.m. ☐ 1 p.m 3 p.m.	t upright, stand, wal e following flavors: ne of the following to th (i.e., food, drinks, was t the same time eac worst or your symptor	flavors:	s, swing your arms of the pour bitter bur bitter bur bitter Prefer cold (i.e., figures, what time?	freely, turn your sweet sweet food, drinks, wea of day you feel t 7 a.m 9 a.m.	head, wiggle fi   rich/fatty   rich/fatty ather, etc.)  the most energ	ingers)  spicy/p spicy/p No pref  y or the least s	ungent erence ymptoms 11 a.m 1	□ salty sare aggra p.m.	
☐ move around (si rong like for any of the rong dislike for any of you: ☐ Prefer warm rour sleep disturbed a te of day you feel the of ☐ 7 a.m 9 a.m. ☐ 1 p.m 3 p.m. ☐ 7 p.m 9 p.m.	t upright, stand, wal e following flavors: ne of the following to th (i.e., food, drinks, was t the same time eac worst or your sympto 1 9 a.m 11 a.m.	flavors: So weather, etc.) h night? If oms are aggravated	s, swing your arms tour   bitter our   bitter   bitter   Prefer cold (i.e., fine)   yes, what time?	freely, turn your  sweet sweet food, drinks, wea  of day you feel to a.m 9 a.m. 1 p.m 3 p.m.	head, wiggle fi   rich/fatty   rich/fatty ather, etc.)  the most energ   9 a.m.   3 p.m.	ingers)  spicy/p spicy/p No pref  gy or the least s - 11 a.m.	erence symptoms 11 a.m 1 5 p.m 7	salty sare aggra p.m. p.m.	
☐ move around (si ong like for any of th ong dislike for any of you: ☐ Prefer warm our sleep disturbed a e of day you feel the of ☐ 7 a.m 9 a.m. ☐ 1 p.m 3 p.m. ☐ 7 p.m 9 p.m.	t upright, stand, wal e following flavors: ne of the following th th (i.e., food, drinks, was t the same time eac worst or your sympto 9 a.m 11 a.m. 3 p.m 5 p.m.	flavors: So weather, etc.) h night? If oms are aggravated 11 a.m 1 p.m 5 p.m 7 p.m.	s, swing your arms tour   bitter bur   bitter   Prefer cold (i.e., fire)   tyes, what time?	freely, turn your sweet sweet food, drinks, wea of day you feel t 7 a.m 9 a.m.	head, wiggle fi   rich/fatty   rich/fatty ather, etc.)  the most energ	spicy/p spicy/p Spicy/p No pref sy or the least s -11 a.m5 p.m.	ungent erence ymptoms 11 a.m 1	salty sare aggra p.m. p.m. a.m.	
□ move around (si ong like for any of ong dislike for any of you: □ Prefer warm our sleep disturbed a e of day you feel the o □ 7 a.m 9 a.m. □ 1 p.m 3 p.m. □ 7 p.m 9 p.m. □ 1 a.m 3 a.m.	t upright, stand, wall e following flavors: ne of the following fith (i.e., food, drinks, was the same time each worst or your symptom 9 a.m 11 a.m. 1 3 p.m 5 p.m. 1 3 a.m 5 a.m.	flavors:   so weather, etc.)  h night? If oms are aggravated	s, swing your arms tour   bitter bur   bitter   Prefer cold (i.e., fire)   tyes, what time?	freely, turn your  sweet sweet food, drinks, wea  of day you feel t 7 a.m 9 a.m. 1 p.m 3 p.m. 7 p.m 9 p.m.	head, wiggle fi  rich/fatty  rich/fatty ather, etc.)  the most energy  9 a.m.  3 p.m.  9 p.m.	spicy/p spicy/p Spicy/p No pref sy or the least s -11 a.m5 p.m.	ymptoms 11 a.m 1 5 p.m 7 11 p.m 1	salty sare aggra p.m. p.m. a.m.	
□ move around (si rong like for any of the rong dislike for any of you: □ Prefer warm rour sleep disturbed a ne of day you feel the ro □ 7 a.m 9 a.m. □ 1 p.m 3 p.m. □ 1 p.m 3 p.m. □ 1 a.m 3 a.m.	t upright, stand, wall e following flavors: ne of the following state (i.e., food, drinks, was to the same time each worst or your symptem of a.m. of these general symptems of the same time and th	flavors:   50 weather, etc.) h night?   If oms are aggravated   11 a.m 1 p.m.   5 p.m 7 p.m.   11 p.m 1 a.m.   5 a.m 7 a.m.	s, swing your arms tour   bitter our   bitter our   bitter   Prefer cold (i.e., figures, what time?	freely, turn your  sweet sweet food, drinks, wea  of day you feel t 7 a.m 9 a.m. 1 p.m 3 p.m. 7 p.m 9 p.m. 1 a.m 3 a.m.	head, wiggle fi   rich/fatty   rich/fatty ather, etc.)  the most energing gam.   9 a.m.   9 p.m.   3 a.m.	ingers)  spicy/p  spicy/p  No pref  gy or the least s  -11 a.m.  -5 p.m.  -11 p.m.	ungent erence symptoms 11 a.m 1 5 p.m 7 11 p.m 1 5 a.m 7	sare aggrapm. p.m. p.m. a.m.	vated
move around (si rong like for any of the rong dislike for any of you: Prefer warm your sleep disturbed a ne of day you feel the of 7 a.m 9 a.m. 1 p.m 3 p.m. 2 p.m 3 a.m. you experience any of Debilitating fatigue Depression	t upright, stand, wall e following flavors: ne of the following fith (i.e., food, drinks, was to the same time each worst or your symptom gam 11 a.m. gam 5 p.m. gam 11 p.m. gam 5 a.m. these general symp	flavors: So weather, etc.)  h night? If oms are aggravated  11 a.m 1 p.m. 5 p.m 7 p.m. 11 p.m 1 a.m. 5 a.m 7 a.m.	s, swing your arms tour   bitter bur   bitter bur   bitter cur   c	freely, turn your  sweet sweet food, drinks, wea  of day you feel t 7 a.m 9 a.m. 1 p.m 3 p.m. 7 p.m 9 p.m. 1 a.m 3 a.m.	head, wiggle fi  rich/fatty  rich/fatty ather, etc.)  the most energ  9 a.m.  9 p.m.  9 p.m.  3 a.m.	spicy/p spicy/p No pref sy or the least s -11 a.m5 p.m11 p.m.	wymptoms 11 a.m 1 5 p.m 7 11 p.m 1 5 a.m 7	salty sare aggra p.m. p.m. a.m.	vated
□ move around (si rong like for any of th rong dislike for any of you: □ Prefer warm your sleep disturbed a ne of day you feel the n □ 7 a.m 9 a.m. □ 1 p.m 3 p.m. □ 7 p.m 9 p.m. □ 1 a.m 3 a.m.  you experience any of □ Debilitating fatigue	t upright, stand, wall e following flavors: ne of the following state (i.e., food, drinks, was to the same time each worst or your symptem of a.m. of these general symptems of the same time and th	flavors: So weather, etc.)  h night? If oms are aggravated	s, swing your arms tour   bitter bur   bitter pur   bitte	freely, turn your  sweet sweet food, drinks, wea  of day you feel t 7 a.m 9 a.m. 1 p.m 3 p.m. 7 p.m 9 p.m. 1 a.m 3 a.m.	head, wiggle fi   rich/fatty   rich/fatty ather, etc.)  the most energ   9 a.m.   3 p.m.   9 p.m.   3 a.m.	spicy/p   spicy/p   Spicy/p   No pref	ungent erence symptoms 11 a.m 1 5 p.m 7 11 p.m 1 5 a.m 7	sare aggra p.m. p.m. a.m. a.m.	vated
□ move around (si rong like for any of the rong dislike for any of you: □ Prefer warm your sleep disturbed a ne of day you feel the n □ 7 a.m 9 a.m. □ 1 p.m 3 p.m. □ 7 p.m 9 p.m. □ 1 a.m 3 a.m.  you experience any of □ Debilitating fatigue □ Depression	t upright, stand, wall e following flavors: ne of the following fith (i.e., food, drinks, want) t the same time each worst or your sympto 9 a.m 11 a.m. 9 p.m 5 p.m. 9 p.m 11 p.m. 3 a.m 5 a.m.  these general symp	flavors: So weather, etc.)  h night? If oms are aggravated	s, swing your arms tour   bitter bur   bitter bur   bitter cur   c	freely, turn your  sweet sweet food, drinks, wea  of day you feel t 7 a.m 9 a.m. 1 p.m 3 p.m. 7 p.m 9 p.m. 1 a.m 3 a.m.	head, wiggle fi  rich/fatty  rich/fatty ather, etc.)  the most energ  9 a.m.  9 p.m.  9 p.m.  3 a.m.	spicy/p   spicy/p   Spicy/p   No pref	wymptoms 11 a.m 1 5 p.m 7 11 p.m 1 5 a.m 7	sare aggra p.m. p.m. a.m. a.m.	vated

Medical History	☐ Decreased sex drive	Health Habits	Current Supplements
☐ Arthritis	☐ Infertility	☐ Tobacco:	Current Supplements
☐ Allergies/hay fever	☐ Sexually transmitted disease	Cigarettes: #/day	☐ Multivitamin/mineral
☐ Asthma	Other	Cigars: #/day	☐ Vitamin C ☐ Vitamin E
☐ Alcoholism			□ EPA/DHA
☐ Alzheimer's disease	200 00- 1002	Wine: #glasses/d or wk	
☐ Autoimmune disease	Medical (Women)	Liquor: #ounces/d or wk	
☐ Blood pressure problems	☐ Menstrual irregularities	Beer: #glasses/d or wk	☐ Calcium, source ☐ Magnesium
☐ Bronchitis	☐ Endometriosis	☐ Caffeine:	☐ Magnesium
☐ Cancer	☐ Infertility	Coffee: #6 oz cups/d	☐ Minerals, describe
☐ Chronic fatigue syndrome	☐ Fibrocystic breasts	Tea: #6 oz cups/d	☐ Friendly flora (acidophilus)
☐ Carpal tunnel syndrome	☐ Fibroids/ovarian cysts	Soda w/caffeine: #cans/d	☐ Digestive enzymes
☐ Cholesterol, elevated	☐ Premenstrual syndrome (PMS)	Other sources	☐ Amino acids
☐ Circulatory problems	☐ Breast cancer	☐ Water: #glasses/d	
☐ Colitis	☐ Pelvic inflammatory disease	<b>5</b>	☐ Antioxidants (e.g., lutein,
☐ Dental problems	□ Vaginal infections	Exercise	resveratrol, etc.)
☐ Depression	☐ Decreased sex drive	☐ 5-7 days per week	☐ Herbs - teas
☐ Diabetes	☐ Sexually transmitted disease	☐ 3-4 days per week	☐ Herbs - extracts
☐ Diverticular disease	Other	☐ 1-2 days per week	☐ Chinese herbs
☐ Drug addiction	Age of first period	45 minutes or more duration per	☐ Ayurvedic herbs
☐ Eating disorder	Date of last gynecological exam	workout	☐ Homeopathy
☐ Epilepsy	Mammogram □ + □ -	☐ 30-45 minutes duration per workout	☐ Bach flowers
□ Emphysema	PAP	☐ Less than 30 minutes	☐ Protein shakes
Eyes, ears, nose, throat problems	Form of birth control	Walk	☐ Superfoods (e.g., bee pollen,
☐ Environmental sensitivities	# of children	Run, jog, jump rope	phytonutrient blends)
☐ Fibromyalgia	# of pregnancies	☐ Weight lift	☐ Liquid meals
☐ Food intolerance	☐ C-section	Swim	Other
☐ Gastroesophageal reflux disease	☐ Surgical menopause	Box	Would you like to:
☐ Genetic disorder	☐ Menopause	☐ Yoga	☐ Have more energy
☐ Glaucoma	Date - last menstrual cycle	Nutrition & Diet	☐ Be stronger
Gout	Length of cycledays	☐ Mixed food diet (animal and	☐ Have more endurance
☐ Heart disease ☐ Infection, chronic	Interval of time between cycles days	vegetable sources)	☐ Increase your sex drive
☐ Inflammatory bowel disease	Any recent changes in normal men-	☐ Vegetarian	☐ Be thinner
☐ Irritable bowel syndrome	strual flow (e.g., heavier, large	☐ Vegan	☐ Be more muscular
☐ Kidney or bladder disease	clots, scanty)	☐ Salt restriction	☐ Improve your complexion
☐ Learning disabilities	Family Health History	☐ Fat restriction	☐ Have stronger nails
☐ Liver or gallbladder disease (stones)	(Parents and Siblings)	☐ Starch/carbohydrate restriction	☐ Have healthier hair
☐ Mental illness	☐ Arthritis	☐ The Zone Diet	☐ Be less moody
☐ Mental retardation	☐ Asthma	☐ Total calorie restriction	☐ Be less depressed
☐ Migraine headaches	□ Alcoholism	Specific food restrictions:  ☐ dairy ☐ wheat ☐ eggs	☐ Be less indecisive
☐ Neurological problems (Parkinson's,	☐ Alzheimer's disease	□ soy □ corn □ all gluten	☐ Feel more motivated
paralysis)	☐ Cancer	Other	☐ Be more organized
☐ Sinus problems	☐ Depression	Odici	☐ Think more clearly and be more focused
☐ Stroke	☐ Diabetes	Food Frequency	☐ Improve memory
☐ Thyroid trouble	☐ Drug addiction	Number of servings per day:	☐ Do better on tests in school
□ Obesity	☐ Eating disorder	Fruits (citrus, melons, etc.)	☐ Not be dependent on over-the-
☐ Osteoporosis	☐ Genetic disorder	Dark green or deep vellow/orange	counter medications like aspirin
☐ Pneumonia	☐ Glaucoma	vegetables	ibuprofen, anti-histamines, sleeping aids, etc.
☐ Sexually transmitted disease	☐ Heart disease	Grains (unprocessed)	☐ Stop using laxatives or stool
☐ Seasonal affective disorder	☐ Infertility	Beans, peas, legumes	softeners
Skin problems	☐ Learning disabilities	Dairy, eggs	☐ Be free of pain
☐ Tuberculosis	☐ Mental illness	Meat, poultry, fish	☐ Sleep better
Ulcer	☐ Mental retardation	Esting Habita	☐ Have agreeable breath
Urinary tract infection	☐ Migraine headaches	Eating Habits	☐ Have agreeable body odor
☐ Varicose veins	☐ Neurological disorders (Parkinson's,	Skip breakfast	☐ Have stronger teeth
Other	paralysis)	☐ Two meals/day	☐ Get less colds and flus
	Obesity	One meal/day	☐ Get rid of your allergies
Medical (Men)	☐ Osteoporosis	☐ Graze (small frequent meals)	☐ Reduce your risk of inherited dis-
☐ Benign prostatic hyperplasia (BPH)	☐ Stroke	☐ Food rotation	ease tendencies (e.g., cancer, heart
□ Prostate cancer		☐ Eat constantly whether hungry or not	disease, etc.)
ostate cancer	Other	☐ Generally eat on the run	
		☐ Add salt to food	
		CONTRACTOR	